


GP

PROMOTION

Valid until 31.03.2026



**NEW GP-LINE
DRILLS**

www.inovatools.eu




Inovatoools **PRODUCT LINE**



General Purpose - Tools


Quality tools at the best price-performance ratio.
The alternative GP articles will provide you with optimal
results in the most common areas of application.



GP Solid carbide drill 3xD

NEW

651...



Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
1,00	4,00	7	45	2	651.010...	.00	-	164	-
1,30	4,00	7	45	2	651.013...	.00	-	164	-
1,50	4,00	14	55	2	651.015...	.00	-	164	-
1,60	4,00	14	55	2	651.016...	.00	-	164	-
1,70	4,00	14	55	2	651.017...	.00	-	164	-
1,80	4,00	14	55	2	651.018...	.00	-	164	-
1,90	4,00	14	55	2	651.019...	.00	-	164	-
2,00	4,00	20	55	2	651.020...	.00	-	164	-
2,10	4,00	20	55	2	651.021...	.00	-	164	-
2,20	4,00	20	55	2	651.022...	.00	-	164	-
2,30	4,00	20	55	2	651.023...	.00	-	164	-
2,40	4,00	20	55	2	651.024...	.00	-	164	-
2,50	4,00	20	55	2	651.025...	.00	-	164	-
2,60	4,00	20	55	2	651.026...	.00	-	164	-
2,70	4,00	20	55	2	651.027...	.00	-	164	-
2,80	4,00	20	55	2	651.028...	.00	-	164	-
2,90	4,00	20	55	2	651.029...	.00	-	164	-
3,00	6,00	20	62	2	651.030...	.00	.10	135	140
3,10	6,00	20	62	2	651.031...	.00	.10	135	140
3,20	6,00	20	62	2	651.032...	.00	.10	135	140
3,30	6,00	20	62	2	651.033...	.00	.10	135	140
3,40	6,00	20	62	2	651.034...	.00	.10	135	140
3,50	6,00	20	62	2	651.035...	.00	.10	135	140
3,60	6,00	20	62	2	651.036...	.00	.10	135	140
3,70	6,00	20	62	2	651.037...	.00	.10	135	140
3,80	6,00	24	66	2	651.038...	.00	.10	135	140
3,90	6,00	24	66	2	651.039...	.00	.10	135	140
4,00	6,00	24	66	2	651.040...	.00	.10	135	140
4,10	6,00	24	66	2	651.041...	.00	.10	135	140
4,20	6,00	24	66	2	651.042...	.00	.10	135	140
4,30	6,00	24	66	2	651.043...	.00	.10	135	140
4,40	6,00	24	66	2	651.044...	.00	.10	135	140
4,50	6,00	24	66	2	651.045...	.00	.10	135	140
4,60	6,00	24	66	2	651.046...	.00	.10	135	140
4,80	6,00	28	66	2	651.048...	.00	.10	135	140
4,90	6,00	28	66	2	651.049...	.00	.10	135	140
5,00	6,00	28	66	2	651.050...	.00	.10	135	140
5,10	6,00	28	66	2	651.051...	.00	.10	135	140
5,20	6,00	28	66	2	651.052...	.00	.10	135	140
5,30	6,00	28	66	2	651.053...	.00	.10	135	140
5,40	6,00	28	66	2	651.054...	.00	.10	135	140
5,50	6,00	28	66	2	651.055...	.00	.10	135	140
5,55	6,00	28	66	2	651.555...	.00	.10	135	140
5,60	6,00	28	66	2	651.056...	.00	.10	135	140
5,80	6,00	28	66	2	651.058...	.00	.10	135	140
5,90	6,00	28	66	2	651.059...	.00	.10	135	140
6,00	6,00	28	66	2	651.060...	.00	.10	135	140
6,10	8,00	34	79	2	651.061...	.00	.10	141	146

GP Solid carbide drill 3xD

NEW

651...



Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
6,20	8,00	34	79	2	651.062...	.00	.10	141	146
6,30	8,00	34	79	2	651.063...	.00	.10	141	146
6,40	8,00	34	79	2	651.064...	.00	.10	141	146
6,50	8,00	34	79	2	651.065...	.00	.10	141	146
6,60	8,00	34	79	2	651.066...	.00	.10	141	146
6,70	8,00	34	79	2	651.067...	.00	.10	141	146
6,80	8,00	34	79	2	651.068...	.00	.10	141	146
6,90	8,00	34	79	2	651.069...	.00	.10	141	146
7,00	8,00	34	79	2	651.070...	.00	.10	141	146
7,10	8,00	41	79	2	651.071...	.00	.10	141	146
7,20	8,00	41	79	2	651.072...	.00	.10	141	146
7,30	8,00	41	79	2	651.073...	.00	.10	141	146
7,40	8,00	41	79	2	651.074...	.00	.10	141	146
7,50	8,00	41	79	2	651.075...	.00	.10	141	146
7,80	8,00	41	79	2	651.078...	.00	.10	141	146
8,00	8,00	41	79	2	651.080...	.00	.10	141	146
8,10	10,00	47	89	2	651.081...	.00	.10	160	168
8,20	10,00	47	89	2	651.082...	.00	.10	160	168
8,40	10,00	47	89	2	651.084...	.00	.10	160	168
8,50	10,00	47	89	2	651.085...	.00	.10	160	168
8,60	10,00	47	89	2	651.086...	.00	.10	160	168
8,80	10,00	47	89	2	651.088...	.00	.10	160	168
9,00	10,00	47	89	2	651.090...	.00	.10	160	168
9,10	10,00	47	89	2	651.091...	.00	.10	160	168
9,30	10,00	47	89	2	651.093...	.00	.10	160	168
9,50	10,00	47	89	2	651.095...	.00	.10	160	168
9,70	10,00	47	89	2	651.097...	.00	.10	160	168
9,80	10,00	47	89	2	651.098...	.00	.10	160	168
9,90	10,00	47	89	2	651.099...	.00	.10	160	168
10,00	10,00	47	89	2	651.100...	.00	.10	160	168
10,20	12,00	55	102	2	651.102...	.00	.10	231	239
10,30	12,00	55	102	2	651.103...	.00	.10	231	239
10,50	12,00	55	102	2	651.105...	.00	.10	231	239
10,80	12,00	55	102	2	651.108...	.00	.10	231	239
11,00	12,00	55	102	2	651.110...	.00	.10	231	239
11,20	12,00	55	102	2	651.112...	.00	.10	231	239
11,50	12,00	55	102	2	651.115...	.00	.10	231	239
11,80	12,00	55	102	2	651.118...	.00	.10	231	239
12,00	12,00	55	102	2	651.120...	.00	.10	231	239
12,20	14,00	60	107	2	651.122...	.00	.10	308	316
12,50	14,00	60	107	2	651.125...	.00	.10	308	316
12,80	14,00	60	107	2	651.128...	.00	.10	308	316
13,00	14,00	60	107	2	651.130...	.00	.10	308	316
13,50	14,00	60	107	2	651.135...	.00	.10	308	316
13,80	14,00	60	107	2	651.138...	.00	.10	308	316
14,00	14,00	60	107	2	651.140...	.00	.10	308	316
14,20	16,00	65	115	2	651.142...	.00	.10	398	409
14,50	16,00	65	115	2	651.145...	.00	.10	398	409
14,80	16,00	65	115	2	651.148...	.00	.10	398	409
15,00	16,00	65	115	2	651.150...	.00	.10	398	409
15,20	16,00	65	115	2	651.152...	.00	.10	398	409
15,50	16,00	65	115	2	651.155...	.00	.10	398	409
15,80	16,00	65	115	2	651.158...	.00	.10	398	409
16,00	16,00	65	115	2	651.160...	.00	.10	398	409
16,50	18,00	73	123	2	651.165...	.00	.10	629	640

GP Solid carbide drill 3xD

NEW

651...




Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
16,80	18,00	73	123	2	651.168...	.00	.10	629	640
17,00	18,00	73	123	2	651.170...	.00	.10	629	640
17,50	18,00	73	123	2	651.175...	.00	.10	629	640
17,80	18,00	73	123	2	651.178...	.00	.10	629	640
18,00	18,00	73	123	2	651.180...	.00	.10	629	640
18,50	20,00	79	131	2	651.185...	.00	.10	744	758
19,00	20,00	79	131	2	651.190...	.00	.10	744	758
19,50	20,00	79	131	2	651.195...	.00	.10	744	758
19,80	20,00	79	131	2	651.198...	.00	.10	744	758
20,00	20,00	79	131	2	651.200...	.00	.10	744	758

GP Solid carbide drill 3xD with IC

NEW

652...



Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.	HA	HB	Net price HA in DKK	Net price HB in DKK
3,00	6,00	20	62	2	652.030...	.00	.10	185	190
3,20	6,00	20	62	2	652.032...	.00	.10	185	190
3,30	6,00	20	62	2	652.033...	.00	.10	185	190
3,40	6,00	20	62	2	652.034...	.00	.10	185	190
3,50	6,00	20	62	2	652.035...	.00	.10	185	190
3,80	6,00	24	66	2	652.038...	.00	.10	185	190
4,00	6,00	24	66	2	652.040...	.00	.10	185	190
4,10	6,00	24	66	2	652.041...	.00	.10	185	190
4,20	6,00	24	66	2	652.042...	.00	.10	185	190
4,30	6,00	24	66	2	652.043...	.00	.10	185	190
4,40	6,00	24	66	2	652.044...	.00	.10	185	190
4,50	6,00	24	66	2	652.045...	.00	.10	185	190
4,65	6,00	24	66	2	652.465...	.00	.10	185	190
4,70	6,00	24	66	2	652.047...	.00	.10	185	190
4,80	6,00	28	66	2	652.048...	.00	.10	185	190
5,00	6,00	28	66	2	652.050...	.00	.10	185	190
5,10	6,00	28	66	2	652.051...	.00	.10	185	190
5,20	6,00	28	66	2	652.052...	.00	.10	185	190
5,50	6,00	28	66	2	652.055...	.00	.10	185	190
5,60	6,00	28	66	2	652.056...	.00	.10	185	190
5,80	6,00	28	66	2	652.058...	.00	.10	185	190
6,00	6,00	28	66	2	652.060...	.00	.10	185	190
6,10	8,00	34	79	2	652.061...	.00	.10	240	245
6,20	8,00	34	79	2	652.062...	.00	.10	240	245
6,30	8,00	34	79	2	652.063...	.00	.10	240	245
6,50	8,00	34	79	2	652.065...	.00	.10	240	245
6,80	8,00	34	79	2	652.068...	.00	.10	240	245
7,00	8,00	34	79	2	652.070...	.00	.10	240	245
7,30	8,00	41	79	2	652.073...	.00	.10	240	245
7,40	8,00	41	79	2	652.074...	.00	.10	240	245
7,50	8,00	41	79	2	652.075...	.00	.10	240	245
7,70	8,00	41	79	2	652.077...	.00	.10	240	245
7,80	8,00	41	79	2	652.078...	.00	.10	240	245
8,00	8,00	41	79	2	652.080...	.00	.10	240	245
8,20	10,00	47	89	2	652.082...	.00	.10	282	290
8,50	10,00	47	89	2	652.085...	.00	.10	282	290
8,60	10,00	47	89	2	652.086...	.00	.10	282	290
8,70	10,00	47	89	2	652.087...	.00	.10	282	290
8,80	10,00	47	89	2	652.088...	.00	.10	282	290
9,00	10,00	47	89	2	652.090...	.00	.10	282	290
9,50	10,00	47	89	2	652.095...	.00	.10	282	290
9,80	10,00	47	89	2	652.098...	.00	.10	282	290
10,00	10,00	47	89	2	652.100...	.00	.10	282	290
10,20	12,00	55	102	2	652.102...	.00	.10	414	422
10,30	12,00	55	102	2	652.103...	.00	.10	414	422
10,50	12,00	55	102	2	652.105...	.00	.10	414	422
10,80	12,00	55	102	2	652.108...	.00	.10	414	422
11,00	12,00	55	102	2	652.110...	.00	.10	414	422

GP Solid carbide drill 3xD with IC


NEW
652...


Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
11,30	12,00	55	102	2	652.113...	.00	.10	414	422
11,50	12,00	55	102	2	652.115...	.00	.10	414	422
11,80	12,00	55	102	2	652.118...	.00	.10	414	422
12,00	12,00	55	102	2	652.120...	.00	.10	414	422
12,20	14,00	60	107	2	652.122...	.00	.10	546	554
12,50	14,00	60	107	2	652.125...	.00	.10	546	554
12,80	14,00	60	107	2	652.128...	.00	.10	546	554
13,00	14,00	60	107	2	652.130...	.00	.10	546	554
13,50	14,00	60	107	2	652.135...	.00	.10	546	554
13,80	14,00	60	107	2	652.138...	.00	.10	546	554
14,00	14,00	60	107	2	652.140...	.00	.10	546	554
14,20	16,00	65	115	2	652.142...	.00	.10	649	660
14,50	16,00	65	115	2	652.145...	.00	.10	649	660
14,80	16,00	65	115	2	652.148...	.00	.10	649	660
15,00	16,00	65	115	2	652.150...	.00	.10	649	660
15,20	16,00	65	115	2	652.152...	.00	.10	649	660
15,50	16,00	65	115	2	652.155...	.00	.10	649	660
15,80	16,00	65	115	2	652.158...	.00	.10	649	660
16,00	16,00	65	115	2	652.160...	.00	.10	649	660
16,50	18,00	73	123	2	652.165...	00	.10	928	939
16,80	18,00	73	123	2	652.168...	00	.10	928	939
17,00	18,00	73	123	2	652.170...	00	.10	928	939
17,50	18,00	73	123	2	652.175...	00	.10	928	939
17,80	18,00	73	123	2	652.178...	00	.10	928	939
18,00	18,00	73	123	2	652.180...	00	.10	928	939
18,50	20,00	79	131	2	652.185...	00	.10	1.152	1.166
19,00	20,00	79	131	2	652.190...	00	.10	1.152	1.166
19,50	20,00	79	131	2	652.195...	00	.10	1.152	1.166
19,80	20,00	79	131	2	652.198...	00	.10	1.152	1.166
20,00	20,00	79	131	2	652.200...	00	.10	1.152	1.166

GP Solid carbide drill 5xD with IC

NEW

653...



Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
1,00	3,00	10	55	2	653.010...	.00	-	257	-
1,10	3,00	12	55	2	653.011...	.00	-	257	-
1,20	3,00	12	55	2	653.012...	.00	-	257	-
1,30	3,00	12	55	2	653.013...	.00	-	257	-
1,40	3,00	12	55	2	653.014...	.00	-	257	-
1,50	3,00	12	55	2	653.015...	.00	-	257	-
1,60	3,00	16	55	2	653.016...	.00	-	257	-
1,70	3,00	16	55	2	653.017...	.00	-	257	-
1,80	3,00	16	55	2	653.018...	.00	-	257	-
1,90	3,00	16	55	2	653.019...	.00	-	257	-
2,00	3,00	21	57	2	653.020...	.00	-	257	-
2,10	3,00	21	57	2	653.021...	.00	-	257	-
2,20	3,00	21	57	2	653.022...	.00	-	257	-
2,30	3,00	21	57	2	653.023...	.00	-	257	-
2,40	3,00	21	57	2	653.024...	.00	-	257	-
2,50	3,00	21	57	2	653.025...	.00	-	257	-
2,60	3,00	21	57	2	653.026...	.00	-	257	-
2,70	3,00	21	57	2	653.027...	.00	-	257	-
2,80	3,00	21	57	2	653.028...	.00	-	257	-
2,90	3,00	21	57	2	653.029...	.00	-	257	-
3,00	6,00	28	66	2	653.030...	.00	.10	237	243
3,10	6,00	28	66	2	653.031...	.00	.10	237	243
3,20	6,00	28	66	2	653.032...	.00	.10	237	243
3,25	6,00	28	66	2	653.325...	.00	.10	237	243
3,30	6,00	28	66	2	653.033...	.00	.10	237	243
3,40	6,00	28	66	2	653.034...	.00	.10	237	243
3,50	6,00	28	66	2	653.035...	.00	.10	237	243
3,60	6,00	28	66	2	653.036...	.00	.10	237	243
3,65	6,00	28	66	2	653.365...	.00	.10	237	243
3,70	6,00	28	66	2	653.037...	.00	.10	237	243
3,80	6,00	36	74	2	653.038...	.00	.10	237	243
3,90	6,00	36	74	2	653.039...	.00	.10	237	243
4,00	6,00	36	74	2	653.040...	.00	.10	237	243
4,10	6,00	36	74	2	653.041...	.00	.10	237	243
4,20	6,00	36	74	2	653.042...	.00	.10	237	243
4,30	6,00	36	74	2	653.043...	.00	.10	237	243
4,50	6,00	36	74	2	653.045...	.00	.10	237	243
4,60	6,00	36	74	2	653.046...	.00	.10	237	243
4,65	6,00	36	74	2	653.465...	.00	.10	237	243
4,70	6,00	36	74	2	653.047...	.00	.10	237	243
4,80	6,00	44	82	2	653.048...	.00	.10	237	243
4,90	6,00	44	82	2	653.049...	.00	.10	237	243
5,00	6,00	44	82	2	653.050...	.00	.10	237	243
5,10	6,00	44	82	2	653.051...	.00	.10	237	243
5,20	6,00	44	82	2	653.052...	.00	.10	237	243
5,40	6,00	44	82	2	653.054...	.00	.10	237	243
5,50	6,00	44	82	2	653.055...	.00	.10	237	243
5,55	6,00	44	82	2	653.555...	.00	.10	237	243

GP Solid carbide drill 5xD with IC

NEW

653...



Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
5,60	6,00	44	82	2	653.056...	.00	.10	237	243
5,70	6,00	44	82	2	653.057...	.00	.10	237	243
5,80	6,00	44	82	2	653.058...	.00	.10	237	243
5,90	6,00	44	82	2	653.059...	.00	.10	237	243
6,00	6,00	44	82	2	653.060...	.00	.10	237	243
6,10	8,00	53	91	2	653.061...	.00	.10	269	275
6,20	8,00	53	91	2	653.062...	.00	.10	269	275
6,30	8,00	53	91	2	653.063...	.00	.10	269	275
6,40	8,00	53	91	2	653.064...	.00	.10	269	275
6,50	8,00	53	91	2	653.065...	.00	.10	269	275
6,60	8,00	53	91	2	653.066...	.00	.10	269	275
6,70	8,00	53	91	2	653.067...	.00	.10	269	275
6,80	8,00	53	91	2	653.068...	.00	.10	269	275
6,90	8,00	53	91	2	653.069...	.00	.10	269	275
7,00	8,00	53	91	2	653.070...	.00	.10	269	275
7,30	8,00	53	91	2	653.073...	.00	.10	269	275
7,40	8,00	53	91	2	653.074...	.00	.10	269	275
7,50	8,00	53	91	2	653.075...	.00	.10	269	275
7,70	8,00	53	91	2	653.077...	.00	.10	269	275
7,80	8,00	53	91	2	653.078...	.00	.10	269	275
8,00	8,00	53	91	2	653.080...	.00	.10	269	275
8,20	10,00	61	103	2	653.082...	.00	.10	301	310
8,40	10,00	61	103	2	653.084...	.00	.10	301	310
8,50	10,00	61	103	2	653.085...	.00	.10	301	310
8,60	10,00	61	103	2	653.086...	.00	.10	301	310
8,70	10,00	61	103	2	653.087...	.00	.10	301	310
8,80	10,00	61	103	2	653.088...	.00	.10	301	310
9,00	10,00	61	103	2	653.090...	.00	.10	301	310
9,20	10,00	61	103	2	653.092...	.00	.10	301	310
9,30	10,00	61	103	2	653.093...	.00	.10	301	310
9,50	10,00	61	103	2	653.095...	.00	.10	301	310
9,70	10,00	61	103	2	653.097...	.00	.10	301	310
9,80	10,00	61	103	2	653.098...	.00	.10	301	310
10,00	10,00	61	103	2	653.100...	.00	.10	301	310
10,10	12,00	71	118	2	653.101...	.00	.10	430	438
10,20	12,00	71	118	2	653.102...	.00	.10	430	438
10,30	12,00	71	118	2	653.103...	.00	.10	430	438
10,50	12,00	71	118	2	653.105...	.00	.10	430	438
10,80	12,00	71	118	2	653.108...	.00	.10	430	438
11,00	12,00	71	118	2	653.110...	.00	.10	430	438
11,20	12,00	71	118	2	653.112...	.00	.10	430	438
11,30	12,00	71	118	2	653.113...	.00	.10	430	438
11,50	12,00	71	118	2	653.115...	.00	.10	430	438
11,80	12,00	71	118	2	653.118...	.00	.10	430	438
12,00	12,00	71	118	2	653.120...	.00	.10	430	438
12,20	14,00	77	124	2	653.122...	.00	.10	584	592
12,50	14,00	77	124	2	653.125...	.00	.10	584	592
12,80	14,00	77	124	2	653.128...	.00	.10	584	592
13,00	14,00	77	124	2	653.130...	.00	.10	584	592
13,50	14,00	77	124	2	653.135...	.00	.10	584	592
13,80	14,00	77	124	2	653.138...	.00	.10	584	592
14,00	14,00	77	124	2	653.140...	.00	.10	584	592
14,20	16,00	83	133	2	653.142...	.00	.10	738	750
14,50	16,00	83	133	2	653.145...	.00	.10	738	750
14,80	16,00	83	133	2	653.148...	.00	.10	738	750

GP Solid carbide drill 5xD with IC

NEW

653...




Tool data					Tool Recommendation			Capabilities	
D1 m7	D2 h6	L2	L1	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
15,00	16,00	83	133	2	653.150...	.00	.10	738	750
15,20	16,00	83	133	2	653.152...	.00	.10	738	750
15,50	16,00	83	133	2	653.155...	.00	.10	738	750
15,80	16,00	83	133	2	653.158...	.00	.10	738	750
16,00	16,00	83	133	2	653.160...	.00	.10	738	750
16,50	18,00	93	143	2	653.165...	.00	.10	1.168	1.179
16,80	18,00	93	143	2	653.168...	.00	.10	1.168	1.179
17,00	18,00	93	143	2	653.170...	.00	.10	1.168	1.179
17,50	18,00	93	143	2	653.175...	.00	.10	1.168	1.179
17,80	18,00	93	143	2	653.178...	.00	.10	1.168	1.179
18,00	18,00	93	143	2	653.180...	.00	.10	1.168	1.179
18,50	20,00	101	153	2	653.185...	.00	.10	1.277	1.291
19,00	20,00	101	153	2	653.190...	.00	.10	1.277	1.291
19,50	20,00	101	153	2	653.195...	.00	.10	1.277	1.291
20,00	20,00	101	153	2	653.200...	.00	.10	1.277	1.291



CUTTING DATA

The INOCUT – cutting data “app” offers specific recommendations for cutting values depending on the contact cross-section, material and tool. The app guides you to the information you want using an intuitive selection process.



STEP | DXF | XML



The INOCAM platform enables our customers to access 2D & 3D models in accordance with DIN / ISO standards, which enables fast data import into CAM and tool management systems. The 3D | STEP & 2D | DXF & CAM | XML files are now also available for download on the INOCUT and INOSHOP platforms via INOCAM.



ONLINE SHOP

Use our online shop around the clock to order your tools easily and conveniently and benefit from direct price information, additional information such as stock availability, as well as quick access to cutting data or descriptions & eCl@ss numbers, also available in the standardized exchange format BMEcat.



InovaTools®

GERMAN TOOLS GROUP



Finn A  **Værktøj A/S**

Dyndved Søndergade 2 - 6430 Nordborg
info@finn-a.dk / +45 74 45 96 66
www.finn-a.dk

HEADQUARTER GERMANY

Inovatools Eckerle & Ertel GmbH
Im Hüttental 3-6
85125 Kinding - Haunstetten
Tel: +49 (0) 84 67 / 84 00-0
Fax: +49 (0) 84 67 / 796
info@inovatools.eu



www.inovatools.eu

BRANCH AUSTRIA

Inovatools Austria GmbH/Fertigung
Sportplatzweg 11
A-6414 Mieming
Tel: +43 (0) 5264 / 6219-0
Fax: +43 (0) 5264 / 6219-33
info-mieming@inovatools.eu

BRANCH PORTUGAL

Inovatools Portugal, Unipessoal, LDA
Rua da Indústria Metalúgica, 593
Cumeiras Embra
P-2430-528 Marinha Grande
Tel: +351 244 566 731
info-portugal@inovatools.eu

BRANCH GERMANY

Inovatools Eckerle & Ertel GmbH
In der Buttergrube 1
99428 Weimar - Legefeld
Tel: +49 (0) 36 43 / 90 01 75
Fax: +49 (0) 36 43 / 77 57 72
info@inovatools.eu

BRANCH ITALY

Inovatools Italy SRL
Via Malavolti 45/a
I-41122 Modena
Tel: +39 059250930
Fax: +39 0592559851
info-modena@inovatools.eu