



Valid until 31.03.2026

PROMOTION
SOLID CARBIDE ENDMILLS

www.inovatools.eu






Your **FIRST CHOICE**

Always to your advantage!

To make it easier for you to find your tailor-made tool, we have made a selection of our best products and have given them special recommendations.



Inovatools **PRODUCT LINE**



High Performance - Tools



General Purpose - Tools




Produced with solar power: solid carbide tools for sustainable precision.

Top products for top results. Outstanding quality and dimensional accuracy in tight tolerance fields help you to meet the highest requirements. Entrust Inovatools with your machining challenge!

Quality tools at the best price-performance ratio. The alternative GP articles will provide you with optimal results in the most common areas of application.

GP Solid carbide end mill HPC UNI 1xD


1.741...



Tool data						Tool Recommendation			Capabilities		
TYP N-H							short	TIALN	HP	Stahl steel	GG(G)
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.				Net price HA in DKK	Net price HB in DKK
3	6	6	54	0,10	4	1.741.030...		.00	.10	88	94
4	6	8	54	0,13	4	1.741.040...		.00	.10	88	94
5	6	9	54	0,18	4	1.741.050...		.00	.10	88	94
6	6	10	54	0,20	4	1.741.060...		.00	.10	88	94
8	8	12	58	0,20	4	1.741.080...		.00	.10	117	123
10	10	14	66	0,20	4	1.741.100...		.00	.10	155	165
12	12	16	73	0,30	4	1.741.120...		.00	.10	214	224
14	14	18	75	0,30	4	1.741.140...		.00	.10	283	292
16	16	22	82	0,30	4	1.741.160...		.00	.10	367	380
18	18	24	84	0,40	4	1.741.180...		.00	.10	486	499
20	20	26	92	0,40	4	1.741.200...		.00	.10	540	556

GP Solid carbide end mill HPC UNI 2xD


1.743...



Tool data								Tool Recommendation			Capabilities		
													
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK	
3	6	8	57	2,80	18	0,13	4	1.743.030...	.00	.10	120	127	
4	6	11	57	3,60	21	0,13	4	1.743.040...	.00	.10	120	127	
5	6	13	57	4,60	21	0,20	4	1.743.050...	.00	.10	120	127	
6	6	13	57	5,50	21	0,20	4	1.743.060...	.00	.10	120	127	
8	8	19	63	7,50	27	0,20	4	1.743.080...	.00	.10	169	176	
10	10	22	72	9,50	32	0,20	4	1.743.100...	.00	.10	211	220	
12	12	26	83	11,50	38	0,30	4	1.743.120...	.00	.10	293	302	
14	14	26	83	13,50	42	0,30	4	1.743.140...	.00	.10	396	405	
16	16	32	92	15,50	44	0,30	4	1.743.160...	.00	.10	450	463	
18	18	32	92	17,50	50	0,40	4	1.743.180...	.00	.10	577	590	
20	20	38	104	19,50	54	0,40	4	1.743.200...	.00	.10	668	684	

GP Solid carbide end mill HPC INOX


1.929...



Tool data								Tool Recommendation			Capabilities	
TYP N							long	TIALN	HPC	INOX VA		
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
3	6	8	57	2,80	11	0,10	3	1.929.031...	.00	.10	99	105
4	6	11	57	3,70	16	0,10	3	1.929.041...	.00	.10	95	101
5	6	13	57	4,70	18	0,15	3	1.929.051...	.00	.10	104	111
6	6	13	57	5,60	18	0,20	3	1.929.061...	.00	.10	109	115
8	8	19	63	7,50	26	0,20	3	1.929.081...	.00	.10	150	156
10	10	22	72	9,50	32	0,20	3	1.929.101...	.00	.10	195	205
12	12	26	83	11	36	0,30	3	1.929.121...	.00	.10	277	286
16	16	32	92	15	42	0,30	3	1.929.161...	.00	.10	437	450
20	20	38	104	19	48	0,40	3	1.929.201...	.00	.10	679	695

GP Solid carbide end mill HPC INOX 1xD


1.388...



Tool data								Tool Recommendation			Capabilities		
TYP N						short	VAROCON	HPC	INOX VA	KSS			
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.		Net Price in DKK					
3	6	6	54	0,10	4	1.388.030.10		116					
4	6	8	54	0,13	4	1.388.040.10		116					
5	6	9	54	0,18	4	1.388.050.10		116					
6	6	10	54	0,20	4	1.388.060.10		116					
8	8	12	58	0,20	4	1.388.080.10		142					
10	10	14	66	0,20	4	1.388.100.10		199					
12	12	16	73	0,30	4	1.388.120.10		280					
16	16	22	82	0,30	4	1.388.160.10		480					
20	20	26	92	0,40	4	1.388.200.10		719					

GP Solid carbide end mill HPC INOX 2xD

1.390...




Tool data								Tool Recommendation			Capabilities		
TYP N						DIN 6527 long	VAROCON	HPC	INOX VA	KSS			
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.				Net price HA in DKK	Net price HB in DKK
3	6	8	57	2,75	18	0,10	4	1.390.030...		.00	.10	136	142
4	6	11	57	3,50	21	0,13	4	1.390.040...		.00	.10	136	142
5	6	13	57	4,50	21	0,20	4	1.390.050...		.00	.10	136	142
6	6	13	57	5,50	21	0,20	4	1.390.060...		.00	.10	136	142
7	8	16	63	6,50	24	0,20	4	1.390.070...		.00	.10	184	190
8	8	19	63	7,50	27	0,20	4	1.390.080...		.00	.10	184	190
9	10	20	72	8,50	29	0,20	4	1.390.090...		.00	.10	242	251
10	10	22	72	9,50	32	0,20	4	1.390.100...		.00	.10	252	261
11	12	24	83	10,50	35	0,30	4	1.390.110...		.00	.10	331	341
12	12	26	83	11,50	38	0,30	4	1.390.120...		.00	.10	346	355
13	14	28	83	12,50	40	0,30	4	1.390.130...		.00	.10	408	417
14	14	30	83	13,50	42	0,30	4	1.390.140...		.00	.10	441	448
16	16	32	92	15,50	44	0,30	4	1.390.160...		.00	.10	530	543
20	20	38	104	19,50	54	0,40	4	1.390.200...		.00	.10	785	800

HP Solid carbide end mill HPC

1st
CHOICE


2.406...



Tool data								Tool Recommendation				Capabilities			
TYP W         								   				   			
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.				Net price HA in DKK	Net price HB in DKK		
3	6	12	57	2,90	16	0,10	3	2.406.030...	.00	.10	202	207			
4	6	12	57	3,90	18	0,10	3	2.406.040...	.00	.10	202	207			
5	6	15	57	4,90	18	0,10	3	2.406.050...	.00	.10	202	207			
6	6	15	57	5,80	21	0,10	3	2.406.060...	.00	.10	202	207			
8	8	22	64	7,80	28	0,10	3	2.406.080...	.00	.10	224	230			
10	10	25	72	9,70	33	0,20	3	2.406.100...	.00	.10	348	355			
12	12	28	84	11,70	39	0,20	3	2.406.120...	.00	.10	499	507			
14	14	32	89	13,70	42	0,20	3	2.406.140...	.00	.10	766	774			
16	16	35	93	15,70	45	0,20	3	2.406.160...	.00	.10	835	846			
20	20	41	104	19,50	52	0,20	3	2.406.200...	.00	.10	1294	1307			

HP Solid carbide roughing mill with IC

253...




Tool data										Tool Recommendation				Capabilities		
TYP W																
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.		Net Price HA in DKK						
6	6	10	63	5,50	24	0,30	3	253.060.00		376						
8	8	12	72	7,50	29	0,40	3	253.080.00		476						
10	10	14	83	9,50	35	0,50	3	253.100.00		606						
12	12	16	100	11,40	50	0,60	3	253.120.00		776						
16	16	20	115	15,20	63	0,80	3	253.160.00		1146						
20	20	20	125	19	70	1	3	253.200.00		1576						
25	25	25	135	23,75	75	1,25	3	253.250.00		2277						

HP Solid carbide roughing mill Primus

1st
CHOICE

2.413...




Tool data								Tool Recommendation			Capabilities	
TYP W        								MTC  				
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
6	6	14	57	5,70	20	0,20	3	2.413.060...	.00	.10	365	370
8	8	21	63	7,40	26	0,25	3	2.413.080...	.00	.10	422	427
10	10	23	72	9,50	31	0,30	3	2.413.100...	.00	.10	516	523
12	12	27	83	11	37	0,35	3	2.413.120...	.00	.10	634	641
16	16	36	92	15	43	0,40	3	2.413.160...	.00	.10	869	880
20	20	41	104	19	52	0,40	3	2.413.200...	.00	.10	1222	1236

HP Solid carbide end mill HPC Hardmax




310...



Tool data								Tool Recommendation				Capabilities			
TYP H       								HPC TSC HRC 45-60				   			
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK			
2,50	6	4	57	2,30	7	0,10	3	310.025...	.00	.10	171	175			
3	6	5	57	2,80	7	0,10	3	310.030...	.00	.10	171	175			
4	6	11	57	3,80	21	0,10	4	310.040...	.00	.10	171	175			
5	6	13	57	4,80	21	0,10	4	310.050...	.00	.10	171	175			
6	6	13	57	5,80	21	0,10	4	310.060...	.00	.10	181	185			
8	8	19	63	7,80	27	0,15	4	310.080...	.00	.10	226	230			
10	10	22	72	9,80	32	0,15	4	310.100...	.00	.10	351	357			
12	12	26	83	11,80	38	0,20	4	310.120...	.00	.10	481	487			
14	14	26	83	13,80	42	0,20	4	310.140...	.00	.10	681	687			
16	16	32	92	15,80	44	0,20	4	310.160...	.00	.10	921	930			
18	18	32	92	17,80	44	0,30	4	310.180...	.00	.10	1026	1035			
20	20	38	104	19,80	54	0,30	4	310.200...	.00	.10	1326	1337			

HP Solid carbide dynamic end mill TSC

591...




Tool data								Tool Recommendation			Capabilities		
TYP N-H         								TSC Stahl steel GG(G)	   				
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK	
6	6	18	62	5,80	25	0,10	5	591.060...	.00	.10	211	215	
8	8	24	68	7,80	30	0,15	5	591.080...	.00	.10	289	293	
10	10	30	80	9,80	35	0,20	5	591.100...	.00	.10	386	392	
12	12	36	93	11,80	45	0,20	5	591.120...	.00	.10	502	509	
16	16	48	108	15,80	55	0,30	5	591.160...	.00	.10	778	786	
20	20	60	126	19,80	70	0,40	5	591.200...	.00	.10	1247	1258	

INO Trochoidal speed cutting mills

M

HP Solid carbide dynamic end mill TSC

592...




Tool data								Tool Recommendation			Capabilities	
TYP N        								TSC INOX VA 			   	
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
6	6	18	62	5,80	25	0,10	5	592.060...	.00	.10	256	260
8	8	24	68	7,80	30	0,15	5	592.080...	.00	.10	331	335
10	10	30	80	9,80	35	0,20	5	592.100...	.00	.10	428	434
12	12	36	93	11,80	45	0,20	5	592.120...	.00	.10	535	541
16	16	48	108	15,80	55	0,30	5	592.160...	.00	.10	875	883
20	20	60	126	19,80	70	0,40	5	592.200...	.00	.10	1360	1371

HP Solid carbide dynamic end mill TSC



2.414...



Tool data										Tool Recommendation				Capabilities			
TYP W																	
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.				Net price HA in DKK		Net price HB in DKK					
6	6	21	62	0,20	3	2.414.060...		.00	.10	362		367					
8	8	28	68	0,20	3	2.414.080...		.00	.10	394		399					
10	10	35	80	0,20	3	2.414.100...		.00	.10	524		532					
12	12	42	93	0,20	3	2.414.120...		.00	.10	785		793					
16	16	56	108	0,20	3	2.414.160...		.00	.10	1117		1128					
20	20	70	126	0,20	3	2.414.200...		.00	.10	1575		1589					

Please feel free
to require the main
INOVATOOLS catalog



InovaTools®

GERMAN TOOLS GROUP



Finn A  **Værktøj A/S**

Dyndved Søndergade 2 - 6430 Nordborg
info@finn-a.dk / +45 74 45 96 66
www.finn-a.dk

HEADQUARTER GERMANY

Inovatools Eckerle & Ertel GmbH
Im Hüttental 3-6
85125 Kinding - Haunstetten
Tel: +49 (0) 84 67 / 84 00-0
Fax: +49 (0) 84 67 / 796
info@inovatools.eu

BRANCH AUSTRIA

Inovatools Austria GmbH/Fertigung
Sportplatzweg 11
A-6414 Mieming
Tel: +43 (0) 5264 / 6219-0
Fax: +43 (0) 5264 / 6219-33
info-mieming@inovatools.eu

BRANCH GERMANY

Inovatools Eckerle & Ertel GmbH
In der Buttergrube 1
99428 Weimar - Legefeld
Tel: +49 (0) 36 43 / 90 01 75
Fax: +49 (0) 36 43 / 77 57 72
info@inovatools.eu

BRANCH ITALY

Inovatools Italy SRL
Via Malavolti 45/a
I-41122 Modena
Tel: +39 059250930
Fax: +39 0592559851
info-modena@inovatools.eu

BRANCH PORTUGAL

Inovatools Portugal, Unipessoal, LDA
Rua da Indústria Metalúgica, 593
Cumeiras Embra
P-2430-528 Marinha Grande
Tel: +351 244 566 731
info-portugal@inovatools.eu



www.inovatools.eu