



Valid until 31.12.2026

PROMOTION
SOLID CARBIDE
ENDMILLS

www.inovatools.eu






Your **FIRST CHOICE**

Always to your advantage!

To make it easier for you to find your tailor-made tool, we have made a selection of our best products and have given them special recommendations.



Inovatools **PRODUCT LINE**



High Performance - Tools



General Purpose - Tools




Produced with solar power: solid carbide tools for sustainable precision.

Top products for top results. Outstanding quality and dimensional accuracy in tight tolerance fields help you to meet the highest requirements. Entrust Inovatools with your machining challenge!

Quality tools at the best price-performance ratio. The alternative GP articles will provide you with optimal results in the most common areas of application.

GP Solid carbide end mill HPC UNI 1xD


1.741...



Tool data						Tool Recommendation			Capabilities	
TYP N-H							short	TIALN		
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK
3,00	6,00	6	54	0,10	4	1.741.030...	.00	.10	115,00	123,00
4,00	6,00	8	54	0,13	4	1.741.040...	.00	.10	115,00	123,00
5,00	6,00	9	54	0,18	4	1.741.050...	.00	.10	115,00	123,00
6,00	6,00	10	54	0,20	4	1.741.060...	.00	.10	115,00	123,00
8,00	8,00	12	58	0,20	4	1.741.080...	.00	.10	180,00	189,00
10,00	10,00	14	66	0,20	4	1.741.100...	.00	.10	289,00	307,00
12,00	12,00	16	73	0,30	4	1.741.120...	.00	.10	404,00	422,00
14,00	14,00	18	75	0,30	4	1.741.140...	.00	.10	544,00	563,00
16,00	16,00	22	82	0,30	4	1.741.160...	.00	.10	707,00	732,00
18,00	18,00	24	84	0,40	4	1.741.180...	.00	.10	935,00	960,00
20,00	20,00	26	92	0,40	4	1.741.200...	.00	.10	1058,00	1088,00

GP Solid carbide end mill HPC UNI 2xD


1.743...



Tool data								Tool Recommendation			Capabilities		
TYP N-H 4 EF 35°/38° HA HB DIN 6527 long TIALN								HPC Stahl steel GG(G)			xy(z)  		
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.	 HA	 HB	Net price HA in DKK	Net price HB in DKK	
3,00	6,00	8	57	2,80	18	0,13	4	1.743.030...	.00	.10	158,00	166,00	
4,00	6,00	11	57	3,60	21	0,13	4	1.743.040...	.00	.10	158,00	166,00	
5,00	6,00	13	57	4,60	21	0,20	4	1.743.050...	.00	.10	158,00	166,00	
6,00	6,00	13	57	5,50	21	0,20	4	1.743.060...	.00	.10	158,00	166,00	
8,00	8,00	19	63	7,50	27	0,20	4	1.743.080...	.00	.10	261,00	271,00	
10,00	10,00	22	72	9,50	32	0,20	4	1.743.100...	.00	.10	393,00	411,00	
12,00	12,00	26	83	11,50	38	0,30	4	1.743.120...	.00	.10	552,00	570,00	
14,00	14,00	26	83	13,50	42	0,30	4	1.743.140...	.00	.10	762,00	780,00	
16,00	16,00	32	92	15,50	44	0,30	4	1.743.160...	.00	.10	866,00	891,00	
18,00	18,00	32	92	17,50	50	0,40	4	1.743.180...	.00	.10	1110,00	1135,00	
20,00	20,00	38	104	19,50	54	0,40	4	1.743.200...	.00	.10	1309,00	1340,00	

GP Solid carbide end mill HPC INOX


1.929...



Tool data								Tool Recommendation			Capabilities		
TYP N 3      long 								HPC INOX VA			xyz   		
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK	
3,00	6,00	8	57	2,80	11	0,10	3	1.929.031...	.00	.10	130,00	138,00	
4,00	6,00	11	57	3,70	16	0,10	3	1.929.041...	.00	.10	124,00	133,00	
5,00	6,00	13	57	4,70	18	0,15	3	1.929.051...	.00	.10	136,00	145,00	
6,00	6,00	13	57	5,60	18	0,20	3	1.929.061...	.00	.10	143,00	151,00	
8,00	8,00	19	63	7,50	26	0,20	3	1.929.081...	.00	.10	231,00	240,00	
10,00	10,00	22	72	9,50	32	0,20	3	1.929.101...	.00	.10	365,00	382,00	
12,00	12,00	26	83	11,00	36	0,30	3	1.929.121...	.00	.10	521,00	539,00	
16,00	16,00	32	92	15,00	42	0,30	3	1.929.161...	.00	.10	840,00	865,00	
20,00	20,00	38	104	19,00	48	0,40	3	1.929.201...	.00	.10	1330,00	1360,00	

GP Solid carbide end mill HPC INOX 1xD


1.388...



Tool data								Tool Recommendation			Capabilities		
TYP N							short	VAROCON	HPC	INOX VA	KSS		
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.		Net price in DKK					
3,00	6,00	6	54	0,10	4	1.388.030.10		151,00					
4,00	6,00	8	54	0,13	4	1.388.040.10		151,00					
5,00	6,00	9	54	0,18	4	1.388.050.10		151,00					
6,00	6,00	10	54	0,20	4	1.388.060.10		151,00					
8,00	8,00	12	58	0,20	4	1.388.080.10		219,00					
10,00	10,00	14	66	0,20	4	1.388.100.10		372,00					
12,00	12,00	16	73	0,30	4	1.388.120.10		527,00					
16,00	16,00	22	82	0,30	4	1.388.160.10		922,00					
20,00	20,00	26	92	0,40	4	1.388.200.10		1407,00					

GP Solid carbide end mill HPC INOX 2xD

1.390...




Tool data								Tool Recommendation			Capabilities		
TYP N							DIN 6527 long	VAROCON	HPC	INOX VA	KSS		
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.				Net price HA in DKK	Net price HB in DKK
3,00	6,00	8	57	2,75	18	0,10	4	1.390.030...		.00	.10	177,00	186,00
4,00	6,00	11	57	3,50	21	0,13	4	1.390.040...		.00	.10	177,00	186,00
5,00	6,00	13	57	4,50	21	0,20	4	1.390.050...		.00	.10	177,00	186,00
6,00	6,00	13	57	5,50	21	0,20	4	1.390.060...		.00	.10	177,00	186,00
7,00	8,00	16	63	6,50	24	0,20	4	1.390.070...		.00	.10	283,00	293,00
8,00	8,00	19	63	7,50	27	0,20	4	1.390.080...		.00	.10	283,00	293,00
9,00	10,00	20	72	8,50	29	0,20	4	1.390.090...		.00	.10	451,00	468,00
10,00	10,00	22	72	9,50	32	0,20	4	1.390.100...		.00	.10	470,00	488,00
11,00	12,00	24	83	10,50	35	0,30	4	1.390.110...		.00	.10	624,00	642,00
12,00	12,00	26	83	11,50	38	0,30	4	1.390.120...		.00	.10	651,00	669,00
13,00	14,00	28	83	12,50	40	0,30	4	1.390.130...		.00	.10	784,00	803,00
14,00	14,00	30	83	13,50	42	0,30	4	1.390.140...		.00	.10	849,00	862,00
16,00	16,00	32	92	15,50	44	0,30	4	1.390.160...		.00	.10	1019,00	1044,00
20,00	20,00	38	104	19,50	54	0,40	4	1.390.200...		.00	.10	1537,00	1568,00

HP Solid carbide end mill HPC

1st
CHOICE

2.406...




Tool data								Tool Recommendation				Capabilities			
TYP W 3        								HPC ALU NE Kunststoff plastic KSS				   			
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK			
3,00	6,00	12	57	2,90	16	0,10	3	2.406.030...	.00	.10	244,00	251,00			
4,00	6,00	12	57	3,90	18	0,10	3	2.406.040...	.00	.10	244,00	251,00			
5,00	6,00	15	57	4,90	18	0,10	3	2.406.050...	.00	.10	244,00	251,00			
6,00	6,00	15	57	5,80	21	0,10	3	2.406.060...	.00	.10	244,00	251,00			
8,00	8,00	22	64	7,80	28	0,10	3	2.406.080...	.00	.10	307,00	314,00			
10,00	10,00	25	72	9,70	33	0,20	3	2.406.100...	.00	.10	543,00	555,00			
12,00	12,00	28	84	11,70	39	0,20	3	2.406.120...	.00	.10	786,00	799,00			
14,00	14,00	32	89	13,70	42	0,20	3	2.406.140...	.00	.10	1280,00	1293,00			
16,00	16,00	35	93	15,70	45	0,20	3	2.406.160...	.00	.10	1395,00	1413,00			
20,00	20,00	41	104	19,50	52	0,20	3	2.406.200...	.00	.10	2236,00	2259,00			

HP Solid carbide end mill HPC Hardmax



310...




Tool data								Tool Recommendation			Capabilities	
TYP H 3-4 Z FF 52° HA HB (Norm) ALTIN HPC TSC HRC 45-60 xyz												
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.	HA	HB	Net price HA in DKK	Net price HB in DKK
2,50	6,00	4	57	2,30	7	0,10	3	310.025...	.00	.10	207,00	212,00
3,00	6,00	5	57	2,80	7	0,10	3	310.030...	.00	.10	207,00	212,00
4,00	6,00	11	57	3,80	21	0,10	4	310.040...	.00	.10	207,00	212,00
5,00	6,00	13	57	4,80	21	0,10	4	310.050...	.00	.10	207,00	212,00
6,00	6,00	13	57	5,80	21	0,10	4	310.060...	.00	.10	219,00	224,00
8,00	8,00	19	63	7,80	27	0,15	4	310.080...	.00	.10	308,00	314,00
10,00	10,00	22	72	9,80	32	0,15	4	310.100...	.00	.10	548,00	558,00
12,00	12,00	26	83	11,80	38	0,20	4	310.120...	.00	.10	758,00	768,00
14,00	14,00	26	83	13,80	42	0,20	4	310.140...	.00	.10	1137,00	1148,00
16,00	16,00	32	92	15,80	44	0,20	4	310.160...	.00	.10	1539,00	1553,00
18,00	18,00	32	92	17,80	44	0,30	4	310.180...	.00	.10	1714,00	1729,00
20,00	20,00	38	104	19,80	54	0,30	4	310.200...	.00	.10	2292,00	2310,00

HP Solid carbide roughing mill Primus

1st
CHOICE


2.413...



Tool data								Tool Recommendation			Capabilities	
TYP W 3 Z-EF 38°/40°/42° WR HA HB Norm ta-C								MTC ALU NE KSS			xyz 45°	
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.	 HA	 HB	Net price HA in DKK	Net price HB in DKK
6,00	6,00	14	57	5,70	20	0,20	3	2.413.060...	.00	.10	442,00	449,00
8,00	8,00	21	63	7,40	26	0,25	3	2.413.080...	.00	.10	576,00	584,00
10,00	10,00	23	72	9,50	31	0,30	3	2.413.100...	.00	.10	806,00	818,00
12,00	12,00	27	83	11,00	37	0,35	3	2.413.120...	.00	.10	999,00	1011,00
16,00	16,00	36	92	15,00	43	0,40	3	2.413.160...	.00	.10	1452,00	1470,00
20,00	20,00	41	104	19,00	52	0,40	3	2.413.200...	.00	.10	2113,00	2136,00

HP Solid carbide roughing mill with IC


253...



Tool data										Tool Recommendation				Capabilities		
TYP W								ZrN		MTC	ALU NE					
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price in DKK					
6,00	6,00	10	63	5,50	24	0,30	3	253.060.00			455,00					
8,00	8,00	12	72	7,50	29	0,40	3	253.080.00			650,00					
10,00	10,00	14	83	9,50	35	0,50	3	253.100.00			947,00					
12,00	12,00	16	100	11,40	50	0,60	3	253.120.00			1223,00					
16,00	16,00	20	115	15,20	63	0,80	3	253.160.00			1915,00					
20,00	20,00	20	125	19,00	70	1,00	3	253.200.00			2725,00					
25.00	25.00	25	135	23.75	75	1.25	3	253.250.00			4294,00					

HP Solid carbide dynamic end mill TSC 3xD


591...



Tool data								Tool Recommendation			Capabilities	
TYP N-H 5 Z-EF 40° HF HA HB Norm VAROCON								TSC Stahl steel GG(G)			xy(z)   	
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.	 HA	 HB	Net price HA in DKK	Net price HB in DKK
6,00	6,00	18	62	5,80	25	0,10	5	591.060...	.00	.10	256,00	261,00
8,00	8,00	24	68	7,80	30	0,15	5	591.080...	.00	.10	394,00	400,00
10,00	10,00	30	80	9,80	35	0,20	5	591.100...	.00	.10	603,00	612,00
12,00	12,00	36	93	11,80	45	0,20	5	591.120...	.00	.10	792,00	802,00
16,00	16,00	48	108	15,80	55	0,30	5	591.160...	.00	.10	1299,00	1314,00
20,00	20,00	60	126	19,80	70	0,40	5	591.200...	.00	.10	2156,00	2174,00

HP Solid carbide dynamic end mill TSC 3xD

592...




Tool data								Tool Recommendation			Capabilities				
															
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK			
6,00	6,00	18	62	5,80	25	0,10	5	592.060...	.00	.10	311,00	316,00			
8,00	8,00	24	68	7,80	30	0,15	5	592.080...	.00	.10	452,00	458,00			
10,00	10,00	30	80	9,80	35	0,20	5	592.100...	.00	.10	668,00	678,00			
12,00	12,00	36	93	11,80	45	0,20	5	592.120...	.00	.10	843,00	853,00			
16,00	16,00	48	108	15,80	55	0,30	5	592.160...	.00	.10	1461,00	1476,00			
20,00	20,00	60	126	19,80	70	0,40	5	592.200...	.00	.10	2352,00	2370,00			

HP Solid carbide dynamic end mill TSC 3xD


1st
CHOICE

2.414...



Tool data							Tool Recommendation				Capabilities			
TYP W 3  45°      							TSC ALU NE 				xyz   			
D1 h9	D2 h6	L2	L1	EF	Z	Article-No.			Net price HA in DKK	Net price HB in DKK				
6,00	6,00	21	62	0,20	3	2.414.060...	.00	.10	439,00	445,00				
8,00	8,00	28	68	0,20	3	2.414.080...	.00	.10	539,00	546,00				
10,00	10,00	35	80	0,20	3	2.414.100...	.00	.10	819,00	831,00				
12,00	12,00	42	93	0,20	3	2.414.120...	.00	.10	1238,00	1250,00				
16,00	16,00	56	108	0,20	3	2.414.160...	.00	.10	1866,00	1884,00				
20,00	20,00	70	126	0,20	3	2.414.200...	.00	.10	2723,00	2746,00				

Please feel free
to require the main
INOVATOOLS catalog



InovaTools®

GERMAN TOOLS GROUP



Finn A



Værktøj A/S

Dyndved Søndergade 2 - 6430 Nordborg
info@finn-a.dk / +45 74 45 96 66
www.finn-a.dk



www.inovatools.eu

HEADQUARTERS GERMANY

Inovatools Eckerle & Ertel GmbH
Im Hüttental 3-6
85125 Kinding - Haunstetten
Tel: +49 (0) 84 67 / 84 00-0
Fax: +49 (0) 84 67 / 796
info@inovatools.eu

BRANCH GERMANY

Inovatools Eckerle & Ertel GmbH
In der Buttergrube 1
99428 Weimar - Legefelf
Tel: +49 (0) 36 43 / 90 01 75
Fax: +49 (0) 36 43 / 77 57 72
info@inovatools.eu

BRANCH PORTUGAL

Inovatools Portugal, Unipessoal, LDA
Rua da Indústria Metalúrgica,
593 Cumeiras Embrã
P-2430-528 Marinha Grande
Tel: +351 244 566 731
info-portugal@inovatools.eu

BRANCH ITALY

Inovatools Italy SRL
Via Malavolti 45/a
I-41122 Modena
Tel: +39 059250930
Fax: +39 0592559851
info-modena@inovatools.eu